

FLOOR : MAGMA GRAY 120x120x0,9
WALL : MAGMA ANTHRACITE 120x260x0,9
COUNTER : MAGMA ANTHRACITE 120x260x0,9



SHADE SPECTRUM



V1



V2



V3



V4

STRONG



2




8

NUMBER OF FACES



JOINT mm Bla M


REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 24"x48"	9 mm	MATT	16 Faces
120x260 cm - 47"x102"	9 mm	MATT	8 Faces

SQUARE PATTERN 120x120 cm - 48"x48"



MAGMA ANTHRACITE

5260

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- inside the pallet foam is placed between the slabs .



WALL : MAGMA ANTHRACITE 120x260x0,9
FLOOR : METALUX MINT 120x120x0,9

Magma

GRAY

SHADE SPECTRUM



V1



V2



V3



V4

STRONG



2



8

100% DESIGN AND PRODUCTION PROCESS OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY




JOINT

Bla

M

TRAFFIC

REGULAR PATTERN 120x260 cm - 47"x102"



MAGMA GRAY

5255

COLOR RANGE & CODES

MAGMA GRAY	5255	MAGMA ANTHRACITE	5260
------------	------	------------------	------

SIZES	THICKNESS	SURFACES	PCS / BOX		M ² / PCS		KG / PCS		BOX / BOX PALLET		M ² / BOX PALLET		KG / BOX PALLET	
			1 PCS	45 PCS	M ²	KG.	M ²	KG.	M ²	KG.				
120x120 cm 47"x47"	10mm THICKNESS	MATT	1 PCS	45 PCS	M ²	1.44	KG.	32	45 PCS	M ²	64.8	KG.	1440	
					SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175	
120x260 cm 47"x102"	10mm THICKNESS	MATT	1 PCS	33 PCS	M ²	3.12	KG.	69	33 PCS	M ²	102.96	KG.	2277	
					SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020	

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.